•	Application No.	Applicant(s)
Notice of Allowability	10/849,182	OKADA ET AL.
	Examiner	Art Unit
	Tony Chuo	1795
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to 8/23/07.		
2. X The allowed claim(s) is/are 1 and 3-5.		
3.		
noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted.		
(a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached		
1) hereto or 2) to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date		
Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material	5. ☐ Notice of Informal I 6. ☐ Interview Summary Paper No./Mail Da 7. ☐ Examiner's Amend 8. ☑ Examiner's Statem 9. ☐ Other	(PTO-413),
	1	· .

Allowable Subject Matter

1. The following is an examiner's statement of reasons for allowance:

The Asano '513 reference discloses a membrane electrode assembly for a fuel cell comprising: an oxygen electrode "2" and a fuel electrode "3" on both sides of a polymer electrolyte membrane "1"; separator plates "6"; oxygen paths "6a"; and fuel paths "6b"; wherein the polymer electrolyte membrane comprises a sulfonated arylene copolymer obtained by introducing a sulfonic group into a side chain of a copolymer comprising 30-95 mol% of a first aromatic monomer unit represented by the chemical formula (1), and 70-5 mol% of a second aromatic monomer unit represented by the chemical formula (2) (See paragraphs [0018],[0019],[0020],[0021],[0022]). The chemical formula (1) is equivalent to the general formula (A) of the present application. The chemical formula (2), wherein a is equal to 2, corresponds to the general formula (B-1) of the present application, wherein p is equal to 1 and T represents (C-2). However, Asano et al does not expressly teach a repeating constitutional unit represented by the formula (B-1), wherein T represents at least one group selected from divalent groups represented by the formula (C-1) or (C-2), wherein J represents at least one group selected from the formula recited in claims 1 and 3; or a repeating constitutional unit represented by the formula (B-2).

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Application/Control Number: 10/849,182 Page 3

Art Unit: 1795

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony Chuo whose telephone number is (571) 272-0717. The examiner can normally be reached on M-F, 7:00AM to 3:30PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Patrick Ryan can be reached on (571) 272-1292. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

TC

JONATHAN CREPEAU PRIMARY EXAMINER